

Product Catalog



ECONOMY TENT
INTERNATIONAL

AN ANCHOR COMPANY

economytent.com

2995 NW 75th Street,
Miami, FL. 33147-5943

Contents

4	<i>Trio® Frame System</i>
8	<i>Classic™ Plus Frame Tent</i>
12	<i>XP Cable Series</i>
16	<i>Marquee</i>
18	<i>T2 Marquee</i>
20	<i>Quick and Easy Pop-Up Tent</i>
22	<i>Clear Covers</i>
24	<i>Cover Colors and Stripes</i>
26	<i>Concession and Vending Booths</i>
28	<i>Custom Digital Printing</i>
30	<i>Seating Chart</i>
32	<i>Accessories</i>
34	• <i>Classic Sidewalls</i>
36	• <i>Slidewall Trac System®</i>
38	• <i>Tent Lighting</i>
40	• <i>Tent Liners and Drapes</i>
42	• <i>Tent Rain Gutters</i>
43	• <i>Tent Jack</i>
44	• <i>Cross-Brace System</i>
44	• <i>Steel Cable Bracing</i>
45	• <i>Anchoring Products</i>
46	<i>Parts and Fittings</i>
48	<i>Anchor Industries Inc.</i>
50	<i>Safety Guidelines</i>
51	<i>Terms and Conditions</i>



ECONOMY TENT
INTERNATIONAL

AN  **ANCHOR** COMPANY



Economy Tent International

At Economy Tent International, our goal is to continue creating products that are versatile, durable and stylish to accommodate all of your tent needs.

Established in 1948 and based in Florida, Economy Tent is a wholly-owned subsidiary of Anchor Industries, Incorporated. ETI has successfully grown into one of the largest manufacturers of frame tents in the United States. Our 25,000 sq ft manufacturing and warehousing facility offers state-of-the-art equipment including computerized cutting equipment, radio frequency, hot air and hot

wedge heat sealing equipment, full-service metal fabrication, and welding facility. Utilizing this technology, Economy Tent developed the most innovative frame system ever produced: the patented, award-winning Trio® Frame System - one frame, with three cover style options. Economy Tent has set the industry standard for value, quality, and affordability in an engineered frame tent system.

Anchor Industries, Inc. acquired Economy Tent International in November of 2011. Anchor and ETI provide customers with the widest spectrum of choices in styles, features, delivery, price points, levels of service, and customization. Prices are subject to change without notice. Most current pricing is available at www.economytent.com. All content herein is copyright of Economy Tent International. No reproduction without written permission from Economy Tent International. Not responsible for typographical errors.

economytent.com

2995 NW 75th Street,
Miami, FL. 33147-5943

Toll Free: 800-438-3226

Local: 305-691-0191

Fax: 305-835-7098

sales@economytent.com


Trio® Frame System

Economy Tent's Trio® Frame System has the choice of three cover styles - Traditional, Tension, and High-Peak, ideal for just about any type of event or gathering.

Trio® frame tents provide the flexibility of setting up on grass or hard surfaces. They can be used as a single tent for small backyard parties or used in groups for larger events, such as fairs, and festivals. All three Trio® cover styles are available in 10', 15' and 20' widths. The Traditional and Tension style covers are expandable to whatever length is needed with the addition of 10' or 20' wide mid.

An engineered tent provides components that all work together and are designed to handle loads as they are transferred through the system. In addition, the precise measurements that give the tent strength also provide uniformity that keeps the tent covers looking taut and smooth.





Scan QR code for more information
on the Trio® Frame Tent

Trio® Frame System

Traditional Frame

The Traditional style tent is the most frequently used in the tent industry. This popular cover design attaches to the frame with straps and buckles on the inside perimeter of the tent. In addition, the valance on the Traditional style cover has scalloped edges. Expandable mids, that can extend a tent to 100 plus feet, are available for Traditional style covers.



High-Peak Frame

Our High-Peak cover is designed with a high slope, stylish peak, and smooth curves to stand out from the rest. The High-Peak cover attaches the same way as the Tension cover style. A center mast pole is added to the crown fitting to create the peak. Available in 30' and 40' lengths with the 20' width.


**The High-Peak cover style cannot be used with expandable mids*



Tension Frame

The sleek look of the Tension cover has the same pitch as our Traditional tent and the valance of our High-Peak tent. The cover attaches to the frame with straps and steel "S" hooks that extend down the legs to the base plate tightening the cover for a smooth finish.

** Now offering Expandable Tension Tents*





Engineered Frame System

- Engineered and wind load tested*
- 6005 T-6 anodized marine aluminum, 1 3/4" OD with exclusive alignment line; 1/8" wall thickness
- Color-coded end caps for easy identification of tubing lengths and to help keep dirt out for clean tubing
- Patented cast aluminum fittings and detachable cast aluminum base plates
- Failsafe steel snap button assembly
- Leg height is adjustable from 6'6", 7', 7'6" and 8'
- Legs telescope down to 5' for easy installation of tent cover and other accessories
- Cover pitches for the Trio® are: 10' wide – 2'6"; 15' wide – 3'9"; 20' wide – 5' (Add center mast height for cover pitches of High-Peak style)
- Stakes and ratchets are sold separately



Scan QR code for Trio® frame sketches

Cover Features

- Standard covers are manufactured of an exclusive high-quality 1300 denier, 18 oz lacquer coated black-out vinyl material, which makes the cover easier to handle, store, install, and clean
- UV treated, flame retardant that meets the California Fire Marshal Title 19 and NFPA 701, water repellent, mildew resistant
- Also available in Clear SkyLite™ vinyl with embedded filament lines that help prevent cover expansion (See page 22 for additional Clear Cover information)
- Available in 13 oz - 18 oz vinyl in solid colors and stripes (See page 24 for color choices)
- "West Coast" style covers can be manufactured upon request
- Expandable mids are available in 10' and 20' sections (See page 10 for expandable mids information)
- Seams are 100% electronically welded
- Stainless steel buckles prevent unsightly rust stains on your cover
- Double reinforced straps and buckles
- Vinyl grommets installed by radio frequency welding on expandable covers
- Cover storage bag included

*Cross-bracing on frames larger than 20' x 20' to meet wind load requirements (See page 44 for cross-bracing information)

Classic™ Plus Frame Tent


Economy Tent's engineered Classic™ Plus frame tents are the ideal frame system for events with large numbers of people and events open to the general public, making it a grand-scale tent.

The Classic™ Plus is the ideal tent structure for weddings, corporate events, or any event that requires a large, unobstructed covered area. With the addition of expandable midspan, both the 30' and 40' width Classic™ Plus are flexible to expand 100 plus feet in length.

The consistency of our engineered frame system allows for the utilization of individual parts over several sizes of tents, offering more flexibility with your inventory. In addition to the Traditional cover style that all our Classic™ Plus tents come in, we also offer a 30' x 30' High-Peak cover style. The Traditional style cover is easily expandable to whatever length is needed with the addition of 10' or 20' wide midspan.

**New Tension covers are available in all Classic™ sizes*







Classic™ Plus Frame Tent




Mid Extensions

How do cover mid-extensions connect?

To extend the length of any of the Classic™ Plus and Trio® covers, there are 10' and 20' cover mid-extensions that lace to the main tent cover. The diagram on the right shows how the loops from the mid-extension fit through grommets on the main tent cover and loop-lace together. A vinyl flap then covers and seals the lacing for a clean and seamless look





Versatility in grand-scale can be expanded to 100 plus feet in length

Engineered Frame System

- Engineered and wind load tested*
- Tubing is manufactured of 6005 T-6 anodized marine aluminum with exclusive alignment line; 1/8" wall thickness
- 30' wide tents include double-tube corner rafters, 2" mid-rafter and 2" side bars
- 40' wide tents include double-tube corner rafters, double-tube mid-rafters and 2" side bars
- Galvanized steel Flo-Coat™ fittings
- Failsafe steel snap button assembly
- Adjustable leg height 7', 7'3", 8', 8'3", 9', 9'3"
- Cover pitches for the Classic™ Plus are: 30' wide – 7'6"; 40' wide – 10'
(Add center mast height for cover pitches of High-Peak style)
- Stake and ratchet strap included
- Cross-brace system included on 30' x 50' and longer, 40' x 60' and longer
(Optional to add 2 additional cross-brace systems on 6-way crowns for additional support)
- 1/4" plastic coated steel cable(s) with 3" snap hooks are available for Classic™ Plus

Cover Features

- Standard covers are manufactured of an exclusive high quality 18 oz lacquer coated black-out vinyl material which makes the cover easier to handle, store, install and clean
- UV treated, flame retardant that meets the California Fire Marshal Title 19 and NFPA 701, water repellent, mildew resistant
- Available in 13 oz - 18 oz vinyl in solid colors and stripes
(See page 24 for color choices)
- Also available in Clear 18 oz SkyLite™ vinyl with embedded filament lines that prevent cover expansion
(See page 22 for additional clear cover information)
- "West Coast" style covers can be manufactured upon request
- Seams are 100% electronically welded
- Expandable mids are available in 10' and 20' sections
- Stainless steel buckles prevent unsightly rust stains on your cover
- Double reinforced straps and buckles
- Vinyl grommets installed by radio frequency welding on expandable covers
- Cover storage bag included



Scan QR code for Classic™ Plus frame sketches


**Cross-bracing required on frames larger than 30' x 40' to meet wind load requirements*

XP Cable Series


Economy Tent's XP Series cross-cable system was created with strength and a sleek design in mind. Its elegant curves and impressive peaks are similar to our other High-Peak tents.

The XP Series, designed for stability for repeated installations and use, features a white vinyl-coated cross-cable supporting a "flying" center pole, eliminating standing center poles for open and unobstructed interior space. The double valance and top tensioning ratchet system maintains uniform cover tension and is free of wrinkles without added complexity. With fewer parts than traditional frame tents, the assembly process is simplified, aided by the "double valance" for easy sidewall and gutter installation, providing the illusion of a larger tent. Tool-free assembly and interchangeable parts offer flexibility across sizes.





XP Cable Series



Scan QR code for more information
on the XP Series




Cross cable system with a sleek High-Peak design

XP Cable Frame

- Tubing is manufactured of 6005 T-6 anodized marine aluminum with exclusive alignment line; 1/8" wall thickness
- 10' and 15' wide tents include 2" OD sidebars and legs
- 20' wide include double-tube 3.875" x 2" OD sidebars and legs
- Galvanized steel welded fittings
- 8' x 2" OD Legs
- Leg base has up to a 6" adjustability and 1 1/8" hole for an additional anchoring option to be used in conjunction with standard anchoring and guying requirements
- 1/4" white vinyl-coated cables
- Failsafe snap button assembly
- Center mast has up to a 7" adjustability and a brass wheel in the base for ease of erecting

Cover Features

- Manufactured of high-quality white 18 oz lacquer-coated blackout vinyl
(Available in colors and/or digital printing options)
- "Double valance" for ease of sidewall and rain gutter installation
- Top tensioning system using 1" ratchet straps with vinyl covers
- Seams are 100% electronically welded



Marquee

The Marquee frame tent stands as an optimal solution for various purposes, including serving as entryways, extensions connecting buildings and tents, or providing coverage for walkways. The Marquee is a Traditional top that can expand with 10' mid-sections.

Designed as a gable-end frame, the Marquee is offered in three different widths: 6', 9', and 10'. Notably, its frame parts seamlessly integrate with the Trio® frame system, enhancing compatibility and versatility, and being flexible to expand 100 plus feet in length. This feature proves particularly advantageous when a larger covered space is required. The detachable Velcro® end-gable panels and 10' mid-sections facilitate swift and effortless expansion, ensuring a convenient and efficient setup.





Gable-end frame available in 6', 9' and 10' widths

Gable-End Frame


Standard Covers

- 6005 T-6 anodized marine aluminum, 1 3/4" OD with exclusive alignment line: 1/8" wall thickness
- Color-coded end caps for easy identification of tubing lengths and keep dirt out for clean tubing
- Patented cast aluminum fittings and detachable cast aluminum base plates
- Failsafe steel snap button assembly
- Leg height is adjustable from 6'6", 7', 7'6" and 8'
- Legs telescope down to 5' for easy installation of tent cover and other accessories
- Compatible with Trio® Frame parts

- Manufactured of high-quality white 18 oz lacquer-coated black-out vinyl
- Available in solid colors, clear, and/or digital print
- Velcro® gable-end panels with 10' expandable mids to expand several hundred feet in length
- Double reinforced straps and stainless-steel buckles
- Seams are 100% electronically welded



Scan QR code for more information on the Marquee



T2 Marquee

Presenting the T2 Marquee, a sophisticated and versatile solution for your event needs. This marquee boasts a gable end tension cover that not only enhances the aesthetics but also securely straps down the baseplate, ensuring stability and a polished appearance.

Available in 10' and 20' widths, the T2 Marquee is compatible with Trio® frame parts, allowing for seamless integration into various setups and facilitating future expansions. The inclusion of a sidewall valance adds practicality and privacy to the marquee, making it a well-rounded choice for events of different scales.

Whether you're organizing a small gathering or a larger event, the T2 Marquee combines aesthetics and functionality. The innovative design, compatibility with Trio® frame parts, and the sidewall valance make it an ideal choice for those seeking a versatile, adaptable, and stylish solution for their event needs.





Gable-end frame available in 10' and 20' widths

Gable-End Frame

- 6005 T-6 anodized marine aluminum, 1 3/4" with exclusive alignment line: 1/8" wall thickness
- Color-coded end caps for easy identification of tubing lengths and keep dirt out for clean tubing
- Patented cast aluminum fittings and detachable cast aluminum base plates
- Failsafe steel snap button assembly
- Leg height is adjustable from 6'6", 7', 7'6" and 8'
- Legs telescope down to 5' for easy installation of tent cover and other accessories
- Compatible with Trio® frame parts
- Cross-bracing included on 20' x 20' T2

Standard Covers

- Tension cover attaches to the frame with straps and steel "S" hooks that extend down the legs to the base plate
- Manufactured of high-quality white 18 oz lacquer-coated blackout vinyl
(Available in colors and/or digital printing options)
- Seams are 100% electronically welded
- Sidewall stub valance included



10' x 20' T2 Marquee

Quick and Easy Pop-Up Tent

The 10' x 10' heavy-duty commercial pop-up steel frame tent is a quick, easy, and reliable solution for covering a 100 sq ft area. Designed for quick and effortless setup, this tent is a game-changer for various outdoor events and activities.

The cover is UV treated, offering protection against the sun's harmful rays, while also being flame retardant to enhance safety. Additionally, it boasts water repellency and mildew resistance, making it suitable for various weather conditions and ensuring longevity. Transporting this tent is a breeze, thanks to its convenient design. The frame and cover are neatly packed in a bag on wheels, allowing for easy transportation from one location to another. Whether you're setting up a temporary booth, organizing an outdoor event, or seeking shade for a small gathering, the 10' x 10' pop-up tent stands ready to meet your needs with durability, versatility, and hassle-free setup.





10' x 10' quick and easy pop-up tent

Pop-Up Features

- Crafted from an exclusive high-quality 1300 denier, 13 oz vinyl
- Heavy-duty commercial strength
- UV protection
- Hexagonal profile
- 100 sq ft of shaded area
- Steel frame material
- Water repellent along with mildew resistant
- Adjustable cover peak system
- Double reinforced straps and buckles
- Push button adjustable legs
- Corners reinforced with a D-ring to strap down tent
(Stakes, ropes, and ratchets are sold separately)
- Includes storage bag on wheels
- Replacement parts available



Scan QR code for more information
on the Quick and Easy Pop-Up Tent

Clear Covers

Specially designed to integrate nature's backdrop into the event experience, these covers create a magical ambiance, especially during evening and night events when paired with captivating lighting to complement the night sky.

Embrace the enchantment of your event site with our exquisite clear vinyl covers, offering a seamless blend of nature's beauty and overhead protection. Crafted with precision, our clear covers are custom-made to perfectly fit the Trio® and Classic™ Plus frame systems. Utilizing the stunning and durable Skylight™ 18 oz clear vinyl, these covers feature embedded filament lines, ensuring stability and preventing expansion or contraction in diverse weather conditions. Elevate your events with the perfect synthesis of transparency, durability, and aesthetic appeal.





Scan QR code for more information on Clear Covers



Cover Colors and Stripes

Expand beyond the timeless Traditional white tent option. We offer an extensive palette featuring 15 solid colors and 4 stripe options that provide a vibrant spectrum to choose from and are available in all tents.

Immerse your event in a sea of hues, ranging from classic black, skillfully crafted with 13 oz translucent - 18 oz black-out gloss vinyl to a diverse array of additional shades that allow you to curate the perfect aesthetic for your occasion. To add an extra dimension of visual interest, explore our color variations, including a captivating 30" wide stripe pattern, allowing you to tailor the tent's appearance to suit your specific theme or branding requirements. Elevate your event setup with not just a structure, but a canvas of color possibilities that captivates and enhances the overall atmosphere.





Color Options



Concession and Vending Booths

A perfect blend of visual appeal, easy setup, functionality, and, above all, profitability. These structures are not just eye-catching but also designed for effortless installation, providing a seamless solution for various outdoor tent functions.

Whether it's concessions, school fairs, state fairs, food services, or game booths, the Trio® Concession Tents and Printed Vending Booths stand out as the ideal choice, meeting diverse event needs with their attractive design and practical functionality. Their innate potential for profitability lies in their ability to capture attention and create a conducive environment for successful vending and promotional activities. Elevate your outdoor tent functions with the exceptional features of Trio® Concession Tents and Printed Vending Booths, ensuring a lucrative and memorable experience for vendors and attendees alike.





Scan QR code for more information on Concessions and Vending Booths



Traditional Concession Package

Complete concession tent package available in solid color or 30" stripes

Includes:

- 10' x 10' Traditional, Trio® frame, and cover
- Three 10'6" x 3' bally skirts
- 10'6" x 7' back sidewall
- 10' concession countertop
- 30" steel stakes and ratchets for anchoring

Printed Vending Booth Package

10' x 10', custom-printed vending booth package

Includes:

- 10' x 10' Trio® frame with a 15 oz High-Peak cover
- Front pole covers
- 10' x 6'7" vinyl back sidewall
- Three 10' x 3' vinyl bally skirts
- 30" steel stakes and web guys

High-Peak Concession Package

Complete concession tent package available in solid color or 30" stripes

Includes:

- 10' x 10' High-Peak, Trio® frame, and cover
- Three 10'6" x 3' bally skirts
- 10'6" x 7' back sidewall
- 10' concession countertop
- 30" steel stakes and ratchets for anchoring

Concession Accessories

- 10' Countertop
- Horizontal sign frame and fittings
- Vertical sign frame and fittings
- Bally skirt
- Bally aluminum tubing
- Bally fittings

We offer concession-style tents in a variety of styles, sizes, and colors along with add-on accessories that include tent skirting, sidewalls, a 10' serving counter, a sign package, and much more.

Custom digital printing is included in the printing vending booth package. However, artwork design is not included. Customer must provide suitable artwork files according to our artwork specs. ETI will be happy to assist you with any questions or layout options for your booth but we do not design or re-design artwork. (Visit our website, economytent.com, to download the artwork specs for artwork submission.)

Custom Digital Printing

Elevate your brand presence with the impactful benefits of custom digital printing, a dynamic solution designed to ensure that your business remains prominently visible even in the midst of a bustling crowd.

The utilization of a digitally printed tent cover and accompanying sidewalls transforms your event space into powerful communication tools, effectively broadcasting your company's products or services and irresistibly drawing the attention of potential customers. Beyond mere advertising, digital printing stands as a strategic investment, creating a lasting impression and fostering brand recognition.

This cutting-edge printing process is distinguished by its non-impact nature, offering exceptional durability and scratch resistance. What sets it apart is the full-color spectrum it employs, resulting in a final product characterized by vivid and photo-realistic quality, especially when viewed up close.





For comprehensive information on digital printing pricing and to unlock the potential of showcasing your brand in a visually compelling manner, reach out to ETI today. Visit our website at economytent.com, where you can conveniently download the artwork specs for seamless and efficient artwork submission, making the process of enhancing your brand presence both accessible and straightforward.



Seating Chart


The approximate seating size, as outlined below, provides a foundational reference point for determining the number of attendees a tent can accommodate within the designated seating arrangement.

To assist you in making informed decisions when purchasing and selecting the optimal size of tents for diverse events, it is advisable to consult the following approximate seating capacity guideline as a valuable reference point. When calculating the square footage requirements for your event space, it is essential to factor in additional space considerations for various activities that will be conducted under the tent. These activities may include but are not limited to a dance floor, catering area, bar setup, DJ or live band performance, and other event-related amenities. By taking these factors into account, you can ensure that the tent size aligns seamlessly with the specific needs and dimensions of your event, providing a comfortable and accommodating environment for all attendees.

Tent Size	Total Sq. Ft.	Cathedral Seating	Buffet Dinner	Sit Down Dinner	Stand Up Cocktail
20' x 20'	400	67	50	40	67
20' x 30'	600	100	75	60	100
20' x 40'	800	133	100	80	133
20' x 50'	1000	167	125	100	167
20' x 60'	1200	200	150	120	200
30' x 30'	900	150	113	90	150
30' x 40'	1200	200	150	120	200
30' x 50'	1500	250	188	150	250
30' x 60'	1800	300	225	180	300
30' x 90'	2700	450	338	270	450
30' x 120'	3600	600	450	306	600
40' x 40'	1600	267	200	160	267
40' x 60'	2400	400	300	240	400
40' x 80'	3200	533	400	320	533
40' x 100'	4000	667	500	400	667
40' x 120'	4800	800	600	480	800
40' x 140'	5600	933	700	560	933
40' x 160'	6400	1067	800	640	1067
40' x 180'	7200	1200	900	720	1200
40' x 200'	8000	1333	1000	800	1333



Seating Chart



Accessories

ETI provides a diverse and comprehensive selection of additional items, each playing a crucial role in every facet of erecting, anchoring, bracing, lighting, and maintaining your tent inventory, ensuring a complete and seamless solution for all your event needs.

From sturdy anchoring solutions to reliable bracing options, we provide a diverse selection of high-quality accessories to ensure the stability and durability of your tents during setup and use. Our lighting solutions are designed to illuminate your space effectively, creating a welcoming and well-lit environment. Additionally, our maintenance tools and equipment are crafted with precision, making it easier for you to keep your tent inventory in optimal condition. With Economy Tent, you can trust that we've got all your tent-related needs covered with attention to detail and quality.





Classic™ Sidewalls

Redefine and elevate your outdoor event experience by incorporating our Classic™ tent sidewalls. An essential accessory that seamlessly converts any tent cover into a self-contained, versatile structure.

As part of our commitment to providing comprehensive solutions, every tent cover manufactured by ETI comes equipped with a strategically placed wall rope inside the tent's perimeter, specifically designed for the hassle-free attachment of the Classic™ sidewalls.

Engineered for convenience and efficiency, our Classic™ sidewalls are thoughtfully crafted with quick-release vinyl fasteners sewn at 24" intervals along the top. This innovative design ensures easy removal and reattachment, allowing you to adapt the tent configuration swiftly to changing needs. Constructed from premium 13 oz flame-retardant vinyl, our sidewalls guarantee durability and safety, meeting the highest standards in quality.

Choose from an array of styles to suit your event aesthetic – white, screened, cathedral, and clear options are available. Whether you seek added privacy, protection from the elements, or a transparent touch to let natural light in, our diverse Classic™ sidewall offerings provide the perfect solution to enhance and customize your event space.



White

Standard wall is 13 oz white vinyl
13 oz translucent and/or 18 oz blackout vinyl
available in a variety of colors and stripes



Screen

Top 5' is a charcoal-colored screen with a
3' kicker in 13 oz translucent white



Cathedral

13 oz vinyl with a clear, double-polished soft PVC glass palladium-style window



Clear

20-gauge high clarity, double-polished soft PVC glass vinyl

Sidewall Features

- Available as standard style
(Features a 2" Velcro® overlap on both ends that allows for a seamless connection between walls and prevents flapping)
- Available in classic Lap-N-Flap style
(Features durable quick-release vinyl fasteners that attach to O-rings which overlap 12" on both ends for a seamless connection between wall panels)
- Optional choice of 13 oz translucent - 18 oz blackout gloss vinyl or 30" stripes
- Sidewall vinyl fasteners are sewn every 24" across the top
- Grommets are evenly spaced every 5' along the bottom of the sidewall
- Digital printing is available
- Door panel is available with a solid white 3' x 6'6" zipper door pictured to the right



Sidewall Zipper Door

The 36" wide by 6'6" high door opens with two vinyl zippers on each side. It rolls up and is secured at the top with straps and buckles

Slidewall Trac System®

Developed by ETI, the unique Slidewall Trac System® improves the performance of managing sidewalls by allowing them to be opened or closed in seconds by simply sliding them to either side.

The Slidewall Trac System® comes in 10' and 15' lengths and can be attached to almost any tent system in minutes by hanging the track from the tent frame side bars inside the tent cover. The Slidewall Trac System® incorporates rolling track hangers that glide inside the track.

The standard sidewall snap hooks clip to the track hangers. That's it – the sidewall can now slide from side to side. When open, the sidewall can easily be held in place to a tent leg with an adjustable webbed tie-back.

Slidewall Trac System® Features

- Available in 10' and 15' lengths and includes 1 tie-back strap (Sidewall not included)
- Sidewalls cut down 4" for use with Slidewall Trac System® to have sidewalls fall flush to ground
- Fits onto any standard 1 3/4" - 2" OD tent frame sidebar
- Lightweight, sturdy aluminum construction
- Roller track hangers are made of hard, durable plastic
- Snap to install hooking on side framing of tent with wide hooks built into the Slidewall Trac System®



Scan QR code for more information on
Sidewalls and Slidewall Trac System®

SLIDEWALL
TRAC SYSTEM®



Tent Lighting

Illuminate your clients' events with sophisticated overhead and outdoor lighting, adding a touch of refinement to tent interiors and outdoor spaces. These lights contribute to the overall mood, creating a captivating environment filled with style and elegance.

The play of light transforms ordinary settings into extraordinary realms. As a must-have for any outdoor event, these lights assume a crucial role in the orchestration of an immersive and memorable experience for all attendees. They go beyond mere functionality, serving as catalysts for the transformation of spaces into enchanting settings, ensuring that every moment is imbued with a sense of magic and joy. Let the allure of our sophisticated lighting solutions create an atmosphere where refinement meets festivity, promising a truly extraordinary event for all who partake in the experience.

Dover 5 Chandelier

- 5 arms with candelabra-based sockets
- 25.5" wide by 24.5" height
- Tannery bronze finish
- 60 watt maximum bulb limit in each socket
(Bulbs not included)



Dover 9 Chandelier

- 9 arms with candelabra-based sockets
- 32.5" wide by 29" height
- Tannery bronze finish
- 60 watt maximum bulb limit in each socket
(Bulbs not included)



Bristol Chandelier

- 6 arms with candelabra-based sockets
- 26" wide by 26.75" height
- Black metal finish
- 60 watt maximum bulb limit in each socket
(Bulbs not included)





Bistro Lighting

- 56' white intermediate end-to-end connectible cords
-Each cord has 45 intermediate sockets
(Bulbs not included)
- G40 1-1/2" round, shatter-resistant, LED dimmable bulbs (Sold separately in boxes of 25)
- Connect 21 of the 56' cords together or 1,175'
(Non-dimmable bulbs only)
- All LED bulbs are dimmable with an LED-compatible dimmer



Scan QR code for more information on Tent Lighting

Café Lighting

- 48' white end-to-end connectible 16 gauge cord
-Each cord has 24 in-line sockets
(Bulbs not included)
- LED dimmable, shatter-resistant, medium-based bulbs
(Sold separately in boxes of 25)
- Connect up to 40 sets of the 48' lengths together on one outlet when using LED bulbs
- All LED bulbs are dimmable with an LED-compatible dimmer

Tent Liners and Drapes

Elegant Tent Liners and Drapes are the epitome of sophistication and elegance that promises to elevate any event to new heights. These additions serve as the perfect finishing touch, seamlessly transforming the ambiance of your event.

Tent liners and drapes play a pivotal role in concealing unsightly frameworks. Our expandable tent liners are a testament to this vision, crafted from the highest quality flame retardant, true white polyester material. This ensures not only a pristine appearance but also long-lasting durability, maintaining their impeccable form and hang even after years of use. A go-to choice for those who seek to create a truly refined and unforgettable event experience.





Liner and Drape Features

- Made of disposable heavy-duty white mil poly plastic
- Liners and drapes meet the California Fire Marshall Title 19 and NFPA 701 standards
- Designed for easy installation
 - Attach to the curtain rope on the inside tent perimeter
 - Lift into place with rope and pulley system
- Expandable with 10' Velcro® mids
- Machine washable
- Liners and drapes fit most frame systems
- 7' x 8' drape heights available upon request



Scan QR code for more information on
Liners and Drapes

Pole Covers


When the cost of tent liners is not in the budget, pole cover sleeves are an excellent solution for softening and hiding tent poles and braces.

- Disposable and flame retardant
- Made of heavy-duty white mil poly plastic
- Easy to install over tubing and poles
- Cut to desired length from 750' x 5" roll




Tent Rain Gutters

Tent rain gutters offer invaluable benefits by effectively channeling and redirecting rainfall away from the tent's perimeter. This simple yet crucial accessory helps prevent water pooling and potential damage to the tent and its contents. By mitigating the risk of leaks and puddles, rain gutters contribute to a more comfortable and secure event environment.



Traditional Tent Rain Gutter

- Tapered depth from 28" to 32" for water flow; Available in lengths of 10', 15', 20' and 30'
- White flame retardant vinyl
- Custom lengths available



High-Peak and Tension Rain Gutter

- Tapered or "bow-tie" design; Available in lengths of 10', 15', 20', and 30' lengths
- White flame retardant vinyl
- Custom lengths available



Scan QR code for more information
on Rain Gutters and Storage



Threaded Gutter Hose Adapter

Optional Rain Gutter Accessories

- Threaded Gutter Hose Adapter 3/4" threaded adapter for threaded PVC hose (Optional)
(Connector attachment is purchased separately)
- HH-66 Vinyl Cement (16 oz with 5 sq ft vinyl patch)
- RAM All Purpose Cleaner (32 oz)

Tent Jack

Simplify your frame tent installation with our heavy-duty commercial tent jack. Designed for efficiency, this tool proves invaluable for both smaller crews and larger tents, streamlining the setup process with practicality and reliability.

Tent Jack

- Inline self-breaking winch has 1500 lb capacity
- Exclusive heavy-duty top mechanism distributes the weight over two rollers, not just one
- 2" webbing with D-ring and hook assembly securely holds the tent frame
- Mast extends 11'8" with a lifting height of 10'
- Double tube mast detaches from the mast base
- Winch is zinc plated (not painted) and features a self-braking safety mechanism
- Double mast support keeps the mast perfectly positioned
- Steel base has 10" ball bearing inflatable tires and handle for ease of moving



Tent Jack Accessories/Replacement Parts

- Wheels
- 10'6" twin tube
- Winch
- Webbing with D-ring & hook
- Base (without wheels or handle)
- L-bracket for winch
- Top roller assembly (without rollers)
- 1/2" x 4" rubber roller
- Handle
- Bolts with nylon lock nut
- Wire lock 2-1/2" pins

Cross-Brace System

Crucial for larger tents, our recommended cross-bracing system not only ensures stability but also prevents any bowing of the frame, whether inward or outward. Crafted with precision from 2" OD anodized marine aluminum and galvanized steel fittings, these braces offer durability in varying conditions. Additional bracing is highly recommended, especially for Trio® frame tents exceeding 20' and Classic™ Plus frame tents surpassing 30', to meet engineering and wind-load specifications and guarantee the long-term reliability and safety of your tent setup.



Aluminum Tube Cross-Bracing

- Highly recommended for stability and to prevent the frame from bowing inward or outward
- Manufactured with 1 3/4" or 2" OD anodized marine aluminum tubing and galvanized steel fittings
- Available for 10', 15', 20', 30', and 40' wide tents



Steel Cable Bracing

- 1/4" diameter, PVC clear coated steel cable
- Standard mid-cable lengths along with corner cabling is available for 30' and 40' wide tents
- Ask about availability of custom lengths



Cross Brace System

- 10' wide (4' x 2" tubing and fittings)
- 15' wide (7' x 2" tubing and fittings)
- 20' wide (9'4" x 2" tubing and fittings)
- 30' wide (14'4" x 2" tubing and fittings)
- 40' wide (16'1/4" x 2" tubing and fittings)
- Cross Brace Fitting for 10' - 30' wide*
- Cross Brace Fitting for 40' wide*
- *When ordering fittings only, please specify LEFT or RIGHT fitting.

Steel Cable Bracing

- 29'5" Mid Cable (30' width)
- 39'5" Mid Cable (40' width)
- 13'8" Corner Cable (40' width)



Anchoring Products

The significance of proper tent anchoring cannot be overstated, as it plays a pivotal role in ensuring the stability, safety, and longevity of any event setup. Tent anchoring serves as the foundation that safeguards against unpredictable weather conditions, preventing potential mishaps and guaranteeing the safety of attendees. Adequate anchoring becomes even more critical for larger tents or those installed in challenging environments where wind loads or uneven terrains may pose risks.




Tent Anchoring

- Double-headed, steel-forged 1" stakes in both 30" and 42" lengths
- Stake puller for 1" stakes
- 14' x 1/2" diamond-braided nylon rope (guy rope)
- Webbed ratchet strap (web guy) in both 12' x 1" and 15' x 2" with bull snap and D-ring



Concrete Block Covers

- 18 oz lacquer-coated white vinyl
- Concrete block cover has a 2" hook and loop opening across top for easy access to tie downs; fits over standard-size concrete blocks
- Sizes: 21" x 21" x 11.5"; 21" x 21" x 16"; 21" x 21" x 22"
- Barrel covers can be digitally printed – call ETI for additional information and printing specs
(White or Printed Avail. / Customer must provide artwork for printed)



Scan QR code for more information on
Tent Jack, Anchoring, and Bracing

Parts and Fittings

tubing for 10' and 20' wide Trio® frame system

(Colors correspond to ETI's color-coded end cap tubing identification system)

- 6'9-1/2" x 1-3/4" Corner Rafter (Hip) for 10' wide **BLACK**
- 7'5" x 1-3/4" Mid-Rafter (Intermediate) for 15' wide **YELLOW**
- 9'5" x 1-3/4" Side Bar (Eave) **WHITE**
- 14'5" x 1-3/4" Side Bar (Eave)/Corner Rafter (Hip) **RED**
- 10'7" x 1-3/4" Corner Rafter (Hip) for 15' wide **GRAY**
- 4'8" x 1-3/4" Mid-Rafter (Intermediate) for 10' wide **ORANGE**
- 10'5-1/2" x 1-3/4" Mid-Rafter (Intermediate) **GREEN**
- 4'5" x 1-3/4" Top Bar (Ridge) for 10' wide **BLUE**
- 6'6" – 8' Adjustable Leg (Upright) w/ Base Plate
- 6'6" – 8' Adjustable Leg (Upright) w/o Base Plate
- 4' x 2" Leg (Upright) Base w/o Base Plate
- 5' x 1-3/4" Leg (Upright) Insert
- High Peak (mast) Extension Pole (30") for 10' wide
- High Peak (mast) Extension Pole (40") for 15' wide
- High Peak (mast) Extension Pole (45 3/4") for 20' wide
- High Peak (mast) Extension Pole (58") for 30' wide

Trio® Cast Aluminum Fittings

- 3-way Crown Fitting
- 4-way Crown Fitting (10' x 10' or 15' x 15')
- 4-way Top Expansion Fitting
- 6-way Crown Fitting
- 8-way Crown Fitting (20' x 20')
- Mid-Leg/Rafter Fitting
- Corner Fitting
- Detachable Base Plate

tubing for 30' and 40' Wide Classic™ Plus Frame

- 14'4" Double Barrel Rafter for 40' wide
- 14'4" Side (Eave) or Top Bar (Ridge)
- 9'4" Side (Eave) or Top Bar (Ridge)
- 10' 5-1/2" Corner Rafter (Hip) Support for 40' wide
- 7' – 9' Adjustable Leg (Upright)
- 5' x 1-3/4" Leg (Upright) Base w/ Base Plates
- 7' x 2" Leg (Upright) Top
- 21' 8-1/4" Double Barrel Rafter
- 16' 1/4" Mid-Rafter (Intermediate) for 30' wide
- Custom Size 2" Tubing by the linear foot

Classic™ Plus Steel Fittings

- 4-way Top Expansion Fitting
- 6-way Top Fitting Crown
- 6-way Mid Leg Rafter Fitting
- 6-way Hip (Corner) Rafter Fitting
- 8-way Crown Fitting
- Corner Fitting
- Mid-Leg Rafter Fitting
- Corner Rafter Y-Fitting

XP Series Frame and Parts

- Steel Corner Weldment (all sizes) (4 required)
- Steel Base Upright Insert (all sizes) (4 required)
- 2" x 9'4" Eave Bar (10' wide) (4 required)
- 2" x 14'4" Eave Bar (15' wide) (4 required)
- 19'4" Double Tube Eave Bar (20' wide) (4 required)
- 2" x 7'10" Leg [no insert] (10'-15' wide) (4 required)
- 7'8" Double Tube Leg [no insert] (20' wide) (4 required)
- 1/4" White Vinyl Coated Cable (10' wide) (2 required)
- 1/4" White Vinyl Coated Cable (15' wide) (2 required)
- 1/4" White Vinyl Coated Cable (20' wide) (2 required)
- 2" Center Pole w/Base and Pin (10' wide) (1 required)
- 2" Center Pole w/Base and Pin (15' wide) (1 required)
- 2" Center Pole w/Base and Pin (20' wide) (1 required)
- Center Mast w/Base (all sizes) (1 required)
- Center Mast Adjustable Pin Insert (all sizes) (1 required)
- Tensioning Ratchet w/Hook (all sizes) (4 required)
- Vinyl Ratchet Cover (all sizes) (4 required)
- 5/16" x 2-3/4" Wire Lock Pin (all sizes) (6 required)

Slidewall Trac System® Replacement Parts

10' Slidewall Trac System

- 9' 7-3/4" Rail (1)
- Rail Hangers (3)
- Roller Trac Hangers (7)
- #10 Screws (8)
- #10 Locking Washers (6)

15' Slidewall Trac System

- 14' 7-3/4" Rail (1)
- Rail Hangers (4)
- Roller Trac Hangers (10)
- #10 Screws (10)
- #10 Locking Washers (8)

Marquee

- Complete Frame and Cover
- Cover Only
- Frame Only
- Marquee Fittings

Miscellaneous Parts

- High-Peak Flag
- High-Peak Flagpole
- Strap and Stainless Steel Buckle Set
- Stainless Steel 1" Buckle
- 33" x 1" Nylon Polypro Webbing for Strap
- Plastic Snap Hook for Classic™ Sidewalls
- Tension Strap (High-Peak and Tension)
- Steel S-Hook
- 1/2" Steel Snap Button
- Gray Plastic Ring for Leg (Upright) Base

Ground Tarp

- 7' x 14'
- 7' x 17'
- 7' x 22'

Tent Storage, Repair and Cleaning

- 5' x 2', 5' x 3', 5' x 4' storage bags
- 2" Round Self-Adhesive Patch - Roll of 144 and 30' x 4"
- Self-Adhesive Patch Vinyl - 4" x 30' Roll
- Ground tarps in a gray, heavy-duty poly available in:
7'6" x 14'; 7'6" x 17'; 7'6" x 22'
- HH-66 Vinyl Cement (16 oz with 5 sq ft vinyl patch)
- RAM All Purpose Cleaner (32 oz)



Anchor Industries Inc.

Anchor Industries, Inc. offers a comprehensive range of additional items that are essential for every aspect of erecting, anchoring, bracing, lighting, and maintaining your tent inventory. From sturdy anchoring solutions to reliable bracing options, we provide a diverse selection of high-quality accessories to ensure the stability and durability of your tents during setup and use. Our lighting solutions are designed to illuminate your space effectively, creating a welcoming and well-lit environment. Additionally, our maintenance tools and equipment are crafted with precision, making it easier for you to keep your tent inventory in optimal condition.

Clear Span

VXN

Anchor is thrilled to bring a new Clear Span to the market called the VXN. Upright capabilities of 3M and 4M without requiring ridge struts or knee braces.

- 3M and 5M bays, reducing framework needs for longer structures, making it well-suited for events, commercial, and industrial use
- Certified to ASCE 7-16 on all 4M uprights, except 15M (3M uprights)

Standard Widths: 3M, 6M, 9M, 12M and 15M | **Profile Size:** 130mm x 70mm




Venue Series

Venue is the obvious choice when looking to expand into the clear span market.

- Only product in its class certified to ASCE-7-16 on 4M uprights up to 18M wide

Standard Widths: Range from 9M - 18M | **Profile Size:** 160mm x 100mm



Event Series

The Event Series structure provides you with even more unobstructed space for your larger event needs and general all-purpose space, including storage and warehousing.

- Certified to ASCE-7-16 on 4M uprights up to 25M wide

Standard Widths: 10 M and 25 M | **Profile Size:** 220mm x 100mm




Expo Series

The Expo Series is ideal when large facilities are needed on a temporary basis. It offers unobstructed space, flexible design configurations, and kedged roof fabric.

- Certified to ASCE 7-10 on 4M uprights up to 30M wide

Standard Widths: 20 M, 25 M and 30 M | **Profile Size:** 250mm x 120mm



Pole Tent

All Purpose Canopy

Each All Purpose Canopy tent arrives complete with white powder-coated steel or aluminum poles with steel stakes. The All Purpose Canopy tent is a great "do-it-yourself" unit that installs in minutes and used for carnivals and any outdoor event.

Standard Widths: 16', 20', 30' and 40'




Frame Tent

Fiesta®

Fiesta® tents are a field proven success and an industry favorite for more than 45 years.

- One-piece or expandable tops
- Corrosion resistant aluminum tubing and quick-to-assemble stainless steel hardware

Standard Widths: 10', 12', 14', 16', 18', 20' and 30'




Navi-Trac® Systems

The Most versatile in its class, the Navi-Trac® incorporates modular construction in which fabric panels slide through channeled beams for faster, simplified installations, a smooth, weather-tight fit and maximum stability.

- Navi-Trac® Lite converts to a clear span structure by changing baseplate's and adding cables
- Certified to ASCE 7-02

Standard Widths: Range from 20' - 50'



Century® Frame

The Century® frame tent features strong, aluminum beam frames and attractive one-piece tops. Water tight guttering joins units together for larger accommodations.

- 20' frames convert to 10' frames
- 30' frames convert to 15' frames

Standard Widths: 20' and 30'



F3

Anchor created the original frame tent over forty years ago and once again redefines the category with the F3 - the next generation frame tent that is the perfect system to build a rental business around. Whether you are stepping up from canopies and light duty frame tents or a seasoned business that needs the most efficient, versatile and professional "go-to" tent available, the F3 provides an unparalleled combination of simplicity, strength, elegance and value.

Standard Widths: 20' and 30'



Tension Tent

Century®

Specifically designed for the rental industry, the Century® defines elegance and adapts to virtually any configuration - giving you more open space for events and a better return on investment. Century® tents are the most asked for by name and are a must have in any renter's inventory.

- 3Certified to ASCE 7-02 in 40', 50', 60', 80', 100' and 120'
- 30' ends for 60' Century® are now available

Standard Widths: Range from 40' - 120'



Century® Mate

Interior spaciousness, elegant curved design and high peaks, set Century® Mate apart and at a great value. The Century Mate tent features all the design and prestige of the Century and is the clear choice for smaller events, parties and weddings that require elegance.

Standard Widths: Range from 20', 30' and 40'



Safety Guidelines

Economy Tent International products are of superior design and function best in the parameters of these instructions.

It is **IMPERATIVE** that the instructions are carefully read and **COMPLETELY FOLLOWED**.

Please read these instructions before the installation or removal of the product.

CAUTION:

The installer is solely responsible for the evaluation of the site and determining the proper securing method. Some soils require different staking or securing other than what is provided with the tent or purchased by the customer. Our responsibility is limited to the construction of the tent and not damage due to installation. Damaged frame parts or fittings are usually caused by improper lifting of the frame and are not covered under the terms of the warranty.

Installation during threatening weather conditions is not advised under any circumstances. It is the responsibility of the tent installer/maintainer to determine the severity of the weather and utmost care

must be used. This product is to be used as a temporary structure. In any questionable weather conditions, evacuation is recommended and all valuable merchandise should be removed immediately. Use good judgment, common sense, and safety during the take-down of the tent. Due to shifting of the tent frame, loosening of the stakes, or loosening buckles, it is possible for the cover to “pocket” water in rain conditions. It is imperative to continually inspect the frame and cover for proper fit and alignment and adjust as required.

Proper safety equipment should be used at all times to ensure a safe installation and take down. Careful evaluation should be made to determine if hard hats, steel-toe shoes, safety glasses, and any other equipment should be used for the safe and proper installation. Tent lifts or other equipment might be considered for lifting or take down.

Economy Tent stands behind its products in accordance with the Terms and Conditions of Sale (see the most updated version at economytent.com). For further questions or inquiries, please call toll-free at 800-438-3226 or email us at sales@economytent.com.

For additional reference consult “The IFAI Procedural Handbook for the Safe Installation and Maintenance of Tentage” and the IFAI “Ballasting Study”. Both of these resources are available from the IFAI Tent Rental Division at www.tentexperts.org under the “Safety” menu.

Industry Affiliations

Economy Tent International is proud to be a member of these prominent industry associations:



Proud Member of



Terms and Conditions

AE Tent LLC, DBA Economy Tent International (abbreviated) "ETI". Acceptance of any products listed on this website, the Buyer agrees to the following:

TERMS: Unless otherwise agreed to by ETI in writing, all orders must be paid in full before shipping. All business checks and / or personal checks require a minimum of 5 business days for clearance before orders will ship. Accounts that are past terms are subject to an interest charge of 1.5% per month. As a result of nonpayment or partial payment of invoice, including but not limited to attorney's fees, collection fees, any court costs will be paid by the BUYER. All NSF checks returned will be charged a minimum service fee of \$30.00 and all other remedies allowed by Florida law. The jurisdictions of any and all legal proceedings are in Dade County, Florida. Florida law governs the interpretation and enforcement of this contract.

CUSTOM ORDER POLICY: A custom order is defined as; any product manufactured specifically for the customer and not in stock. Terms for custom orders require a deposit of 50% with the balance paid before product is shipped or picked up. Cancellation of custom goods will result in loss of deposit.

LIMITED WARRANTY: ETI warrants to the original owner that our products are free of defects in material and workmanship for a period of one year from the date of purchase. Defects are limited to a result of the manufacturing process. This warranty does not imply, or express coverage from any damage to tents as a result of wear and tear or acts of nature. Excluded as well are pin holes, punctures, or abrasions which can occur during shipping, storage, and handling. This warranty is valid to the original purchaser only and is not transferable. Items found to have a manufacturing-type defect will be replaced or repaired at ETI's discretion at no cost to the customer. The customer is responsible for shipping charges, duties, and fees of any kind, if applicable.

REQUIRED PERMITS: ETI has no knowledge of applicable building or tent permitting in your area. It is the responsibility of the BUYER to check with the appropriate authorities to obtain proper approvals, permits, etc. prior to installation.

LIMITS OF LIABILITY: ETI has no control over the ultimate use or methods of installation of our products. ETI assumes no liability for any financial loss, damage, injuries, or loss of life. ETI will not be responsible for expenses or loss of income of any kind, arising out of the use of our products. ETI makes no claims, expressed or implied, concerning the use of all ETI's products. ETI shall not be responsible for any incidental damages, exemplary damages, or special damages.

RETURNS: When requesting permission to return an order, the buyer will provide ETI with the invoice number and reason for return. If the return is agreed to, ETI will issue a Return Goods Authorization. Return authorizations do not imply automatic credit. A 30% restocking fee will be applicable for all approved returns. Returns should be carefully packaged and shipped prepaid, with the Return Authorizations number displayed on the shipping label. ETI reserves the right to refuse returned items that are soiled, wet, abused, or damaged in shipping. Merchandise must be returned in new, unused condition.

CANCELLATION, CHANGES & PERMISSIONS: Orders may not be cancelled or changed without receipt of a written cancellation or

change request. Once in production, cancellation of custom products will result in a loss of deposit. The customer authorizes ETI to publish custom printed cover reproductions for advertisement purposes.

SAFETY: It is the responsibility of the BUYER to employ safe methods of installation. Installers must take into account; anchoring method, surface grade, composite of surface and must be aware of both overhead and underground obstruction. Good judgment with regard to wind and weather conditions should be used to determine the time of installation and take down. If weather or any other external factors become threatening, a total removal of the product is recommended, and at minimum a complete evacuation


Anchoring a tent properly requires specific site analysis which should be performed by a licensed professional engineer. Factors that take into account wind uplift calculations, stake withdrawal capacity, size, placement, and the number of stakes required are necessary at a minimum. ETI has no knowledge of specific anchoring requirements for your installations and will not be responsible for any aspect of anchoring failure whether or not the anchoring system was purchased or supplied by ETI. The purchaser/installer is responsible for all aspects of assembling and properly anchoring ETI products.

SALES TAX: Sales tax will be charged to customer pickups and shipments within Florida unless a current Florida Resale Tax Exemption certificate is provided.

SHIPPING: ETI cannot guarantee a particular date for shipment or delivery of merchandise. Estimates of delivery dates are those projected by the freight or package carriers and are not guaranteed. ETI shall not be responsible for delays in deliveries due to any contingencies beyond ETI's control. Delivery means F.O.B. ETI's facility, in Miami, Florida. Risk of loss of damage to and title to goods and products shall pass upon delivery to the transportation company. Upon receipt of shipment, it shall be the responsibility of the buyer to check materials and secure written acknowledgment from the delivering carrier for any shortages, loss, or damage. For your protection, materials must be checked before you sign for the shipment. If there is any shortage or damages, you must require the driver to make a notation on your receipt, and then make a claim with the carrier for the amount of the loss or damage. Should damage not be discovered until goods are unpacked, immediately report it to the carrier so that such shortage or damage can be inspected promptly, and then file a claim with the carrier along with the inspection report.

ALL CLAIMS MUST BE FILED WITH THE CARRIER, AND NOT ETI. If the Buyer does not specify a method of shipment or carrier, or if the method is not practical in the sole discretion of ETI, the company shall determine the method of shipping and carrier without liability for differences in time and/or expense.

RIGHTS TO ENGINEERING: ETI reserves the right to withhold all engineering support and data in cases where the purchaser has not kept their account current within the pre-set terms established between ETI and the purchaser.



Economy Tent International



ECONOMY TENT
INTERNATIONAL

AN ANCHOR COMPANY

economytent.com

2995 NW 75th Street,
Miami, FL. 33147-5943